



WSK 103 0502



keypad



cover plate

WSK 103 0502

Ventilation keypad with mounting frame and cover plate



Natural
ventilation

Application

- ventilation keypad with OPEN / CLOSE / STOP function
- secondary priority when connecting to smoke units
- keypad without mechanical lock

The ventilation keypad is used for the manual opening and closing of electrically operated windows or skylights.


For connecting to all WindowMaster natural ventilation panels.

Model Fuga.

The keypad is supplied with mounting frame, cover plate and 2 screws. The aluminium mounting frame and cover plate, fits into and covers a US junction box respectively.

Technical specifications	
Function	OPEN / CLOSE / STOP
Material	keypad: plastic housing cover plate and mounting frame: 1/16" aluminium
Color	white
Size	keypad: 1 15/16" x 1 15/16" x 11/16" (W x H x D) cover plate: 3 1/2" x 5" x 3/16" (W x H x D) mounting frame: 1 7/8" x 3 5/8" x 1/2" (W x H x D) for detailed measurement see drawings below
Delivery includes	keypad with mounting frame, cover plate and 2 screws
Note	we reserve the right to make technical changes and correct typing errors

Items	Item no.
Ventilation keypad model FUGA, incl. US version mounting frame and cover plate	WSK 103 0502



Cover plate

Ventilation keypad with mounting frame and cover plate

